




# Multi-Thane<sup>®</sup> 330 & 340

## HIGH SOLIDS ACRYLIC POLYURETHANE



**Multi-Thane 330 & 340** protects exterior steel tanks, structural steel, equipment, galvanized metal, concrete, and masonry surfaces.

Formulated with great abrasion resistance to shield surfaces from solvent and chemical attack.





Multi-Thane 330 & 340



## SUPERIOR PERFORMANCE

**Multi-Thane 330 & 340** act as a shield for your surfaces, providing great abrasion resistance and protection against solvent and chemical attack.

Optimum Protection for:

- Manufacturing and processing plants
- Machinery and equipment
- Tank exteriors
- Structural support steel
- Grain-handling facilities
- Power-generation plants
- Laboratories



## Versatile

**Multi-Thane 330** High Solids Acrylic Polyurethane outlasts conventional coatings (e.g. alkyd, acrylic, chlorinated rubber) for protection in highly corrosive environments and during prolonged exposure to exterior elements. Its outstanding color and gloss retention will maintain the appearance of your substrate for years to come. In over 3,000 hours of QUV exposure, Multi-Thane 330 has been proven to be superior to other conventional industrial coatings.

### MULTI-THANE 330 FEATURES

- Excellent impact and abrasion resistance
- Resistant to a wide range of solvents and chemicals under splash and spill conditions
- VOC compliant
- Easy-to-use coating that can be applied by brush, roll, or spray
- Factory-mixed safety and standard colors available as well as a wide range of tinted colors (ICS color system)



### Mildew Concerns?

Multi-Thane 330MR (Mildew Resistant) High Solids Acrylic Polyurethane provides superior performance in demanding environments with the added resistance against mildew and fungal deterioration on dry paint film. Its great flexibility and tenacious adhesion ensures it will continue to protect your surfaces.

### Multi-Thane 330 Chemical Resistance for Splash & Spillage

MEK	VG	Dirty Motor Oil	VG	Perchloroethylene	VG
Toluene	VG	Brake Fluid	VG	Ethylene Glycol	E
Xylene	VG	Skydrol	VG	Acetic Acid	E
Unleaded Gas	VG	Diesel Fuel	E	Sulfuric Acid	E
Denatured Alcohol	E	Aircraft Motor Oil	E	HCL 5% and 10%	E
Methanol	VG	Sodium Hydroxide	E	HCL 37%	VG
Mineral Spirits	E	Ammonium Hydroxide	E	Phosphoric Acid	E
Triethylamine	VG	Bleach	E	Oleic	E
N-Butanol	VG	Dowanol PM	VG	Windex w/AM.D	E
MIBK	VG	Water	E	Pot Ash	E
Isopropyl Alcohol	E	Hydrogen Peroxide 3%	E	Phosphate Fertilizer	E
Butyl Cellosolve	VG	TSP	E	Nitrogen Fertilizer 28%	E
				Ammonium Hydroxide Solution 26%	E

Rating: E - Excellent, VG - Very Good, G - Good

For more detailed information and chemical ratings, see our Technical Data Sheet or contact your Diamond Vogel representative.

## Multi-Thane 330

**Multi-Thane 330** is available in factory-mixed safety and standard colors as well as a wide range of tinted colors (ICS color system).



Silver Gray IG-0208



Cotton White\* IG-1220



Safety Yellow IG-3204



Safety Red IG-5202



Jet Black IG-9202

\*Also available in Multi-Thane 340

Note: Colors shown are produced as closely to the actual color as modern printing techniques permit and are only approximate representations of the actual colors.

PHYSICAL PROPERTIES	Multi-Thane 330	Multi-Thane 330MR	Multi-Thane 340
Finish	Gloss 85–95 @ 60°	Gloss 85–95 @ 60°	Semi-Gloss 35–45 @ 60°
Resin Type	Aliphatic Isocyanate Converted Acrylic Urethane		
Dry Time to Touch	1.5 to 5 hours at 70°F		
Dry Time to Recoat	5 hours to 30 days at 70°F		
Recommended Dry Film Thickness per Coat	2.0–6.0 mils		
Practical Coverage at Recommended DFT	165 to 497 ft <sup>2</sup> /gallon	158 to 474 ft <sup>2</sup> /gallon	172 to 516 ft <sup>2</sup> /gallon
Solids by Volume	62%	59%	64% ± 2%
VOCs	See Technical Data Sheet		



### OUR FAMILY'S COMMITMENT TO YOU

Andrew Vogel, our founder, decided that the paint he perfected himself was the only paint good enough for houses and barns in the harsh and varied Midwest climate. In 1926, a paint company was born from a modest workshop laboratory. Four generations and millions of gallons of paint later, we still carry on the legacy of our

founder. Through our manufacturing facilities, stores, and dealers, we continue to provide the outstanding value and service that our company was built on. From perfecting our own formulas to producing and distributing our own products, our commitment and passion continues to be worthy of Andrew's name.

3216-DV (74839) 03/24