# SAFETY DATA SHEET



Version 2

# **1. IDENTIFICATION**

Product identifier **Product Name** 

Weather Plate Exterior Acrylic Latex Satin Deep Base

Other means of identification BS-1543 **Product Code** SKU(s) None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity		Category 1B		
	Emergency Overview			
Danger				
Hazard statements May cause cancer				
Appearance No information available	Physical state Liquid	Odor No information available		

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Other Information • Harmful to aquatic life Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Titanium dioxide	13463-67-7	3 - 7	*
Texanol	25265-77-4	1 - 5	*
Ethylene Glycol	107-21-1	1 - 5	*
Ammonium Hydroxide	1336-21-6	0.1 - 1	*
Sodium nitrite	7632-00-0	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.		

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice.Conditions for safe storage, including any incompatibilitiesStorage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	_	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	_
Ethylene Glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 50 ppm	-
107-21-1	STEL: 10 mg/m <sup>3</sup> inhalable	(vacated) Ceiling: 125 mg/m <sup>3</sup>	
	particulate matter, aerosol only		
	TWA: 25 ppm vapor fraction		

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
---------------------	---

Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Values $9.0\pm0.2$ No information available >= 100 °C / 212 °F > 94 °C / > 201 °FNo information available No information available	<u>Remarks • Method</u>	
Explosive properties Oxidizing properties	No information available No information available		
Other Information			
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal) EPA VOC (grams/liter) EPA VOC (lb/gal solids)	No information available No information available 9.93 lbs/gal No information available 44.5% 4.4% 34.1% 0.4 52.4 1.1 133.7 1.3		

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

# Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

# Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Texanol 25265-77-4	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat)6 h
Ethylene Glycol 107-21-1	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)= 9530 µL/kg (Rabbit)	-
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-
Sodium nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat)4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. No information available.				
Chemical name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	-	Group 2B	-	Х	
Sodium nitrite 7632-00-0	-	Group 2A	-	Х	
Group 2A - Probably Car Group 2B - Possibly Car Group 3 - Not classifiable			of Labor)		
Reproductive toxicity	No information				
STOT - single evocure	No information	n available			

STOT - single exposure

No information available.

STOT - repeated exposure	No information available.
Target organ effects Aspiration hazard	Central nervous system, Eyes, Lungs, Respiratory system, Skin. No information available.
Aspiration nazard	

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life

#### 8.34% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Texanol	18.4: 72 h Pseudokirchneriella	30: 96 h Pimephales promelas mg/L	95: 96 h Daphnia magna mg/L LC50
25265-77-4	subcapitata mg/L EC50	LC50	
Ethylene Glycol	6500 - 13000: 96 h	41000: 96 h Oncorhynchus mykiss	46300: 48 h Daphnia magna mg/L
107-21-1	Pseudokirchneriella subcapitata	mg/L LC50 14 - 18: 96 h	EC50
	mg/L EC50	Oncorhynchus mykiss mL/L LC50	
		static 40761: 96 h Oncorhynchus	
		mykiss mg/L LC50 static 40000 -	
		60000: 96 h Pimephales promelas	
		mg/L LC50 static 27540: 96 h	
		Lepomis macrochirus mg/L LC50	
		static 16000: 96 h Poecilia reticulata	
		mg/L LC50 static	
Ammonium Hydroxide	-	8.2: 96 h Pimephales promelas	0.66: 48 h water flea mg/L EC50
1336-21-6		mg/L LC50	0.66: 48 h Daphnia pulex mg/L
			EC50
Sodium nitrite	-	0.19: 96 h Oncorhynchus mykiss	-
7632-00-0		mg/L LC50 flow-through 0.092 -	
		0.13: 96 h Oncorhynchus mykiss	
		mg/L LC50 flow-through 0.65 - 1: 96	
		h Oncorhynchus mykiss mg/L LC50	
		static 0.4 - 0.6: 96 h Oncorhynchus	
		mykiss mg/L LC50 semi-static 2.3:	
		96 h Pimephales promelas mg/L	
		LC50 flow-through 20: 96 h	
		Pimephales promelas mg/L LC50	
		static	

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Texanol 25265-77-4	3.47
Ethylene Glycol 107-21-1	-1.93
Sodium nitrite 7632-00-0	-3.7

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** 

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Ammonium Hydroxide	Toxic
1336-21-6	Corrosive
Sodium nitrite	Toxic
7632-00-0	Ignitable
	Reactive

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

15. REGULATORY INFORMATION		
International Inventories		
TSCA	Complies	
DSL/NDSL	Complies *	
EINECS/ELINCS	Does not comply *	
ENCS	Does not comply *	
IECSC	Complies *	
KECL	Does not comply *	
PICCS	Does not comply *	
AICS	Does not comply *	

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ethylene Glycol	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard

No

Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydroxide 1336-21-6	1000 lb	-	-	Х
Sodium nitrite 7632-00-0	100 lb	-	-	Х

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ethylene Glycol	5000 lb	-	RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ
Ammonium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Sodium nitrite	100 lb	-	RQ 100 lb final RQ
7632-00-0			RQ 45.4 kg final RQ

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Ethylene Glycol - 107-21-1	Developmental

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Titanium dioxide	Х	Х
13463-67-7		
Ethylene Glycol	Х	Х
107-21-1		
Ammonium Hydroxide	Х	Х
1336-21-6		

Chemical name	Pennsylvania
Titanium dioxide 13463-67-7	X
Ethylene Glycol 107-21-1	X

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## Hazardous air pollutants (HAPS) content

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants' (present individually at 1% by weight, or greater):

Chemical name	Weight % of HAPS in Product	Pounds HAPS / Gal Product
Ethylene Glycol 107-21-1	2.11%	0.21

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 2 * egend *= Chroni	<b>Flammability</b> 1 c Health Hazard	Physical hazards 0	Personal protection X
Revision Date	14-May-20	)19		

**Revision Note** No information available Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet