# SAFETY DATA SHEET

Revision Date 21-Dec-2022

Diamond

oqe

Version 5

# **1. IDENTIFICATION**

Product identifier Product Name

OmniPrep Universal Interior/Exterior Primer

Other means of identification Product Code SKU(s)

DU-1523 None

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address Diamond Vogel 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Carcinogenicity	Category 1A

	Emergency Overview	
Danger		
<b>Hazard statements</b> May cause an allergic skin reaction May cause cancer		
Appearance No information available	Physical state Liquid	Odor No information available
Precautionary Statements - Prevention		

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

#### Other Information

Harmful to aquatic life with long lasting effects
Very toxic to aquatic life
Unknown acute toxicity
0% of the

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Calcium carbonate	1317-65-3	10 - 30	*
Titanium dioxide	13463-67-7	7 - 13	*
Talc (powder)	14807-96-6	1 - 5	*
Crystalline Silica	14808-60-7	0.1 - 1	*
Chorothalonil	1897-45-6	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	

# 7. HANDLING AND STORAGE

Incompatible materials	None known based on information supplied.
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Conditions for safe storage, includ	ing any incompatibilities
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Precautions for safe handling	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

# Exposure Guidelines

Exposure Guidennes			
Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium carbonate	TWA: 10 mg/m <sup>3</sup> inhalable particles	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3	TWA: 3 mg/m <sup>3</sup> respirable particles	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide	TWA: 0.2 mg/m <sup>3</sup> nanoscale	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	respirable particulate matter	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine
	TWA: 2.5 mg/m <sup>3</sup> finescale		TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,
	respirable particulate matter		including engineered nanoscale
Talc (powder)	TWA: 2 mg/m <sup>3</sup> particulate matter	(vacated) TWA: 2 mg/m <sup>3</sup> respirable	IDLH: 1000 mg/m <sup>3</sup>
14807-96-6	containing no asbestos and <1%	dust <1% Crystalline silica,	TWA: 2 mg/m <sup>3</sup> containing no
	crystalline silica, respirable	containing no Asbestos	Asbestos and <1% Quartz
	particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more;use Quartz limit	
Crystalline Silica	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	excludes construction work,	TWA: 0.05 mg/m <sup>3</sup> respirable dust

agricultural operations, and
exposures that result from the
processing of sorptive clays
(vacated) TWA: 0.1 mg/m <sup>3</sup>
respirable dust
: (250)/(%SiO2 + 5) mppcf TWA
respirable fraction
: (10)/(%SiO2 + 2) mg/m³ TWA
respirable fraction

NIOSH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.	
Skin and body protection	No special technical protective measures are necessary.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values $8.5-9.5$ No information available >= 100 °C / 212 °F > 94 °C / > 201 °FNo information available No information availableNo information available No information available	<u>Remarks • Method</u>	

#### **Other Information**

Softening point Molecular weight	No information available No information available
Liquid Density	10.80 lbs/gal
Bulk density	No information available
Percent solids by weight	49.2%
Percent volatile by weight	1.3%
Percent solids by volume	34.0%
Actual VOC (lbs/gal)	0.1
Actual VOC (grams/liter)	16.7
EPA VOC (lbs/gal)	0.4
EPA VOC (grams/liter)	46.8
EPA VOC (lb/gal solids)	0.4

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate 1317-65-3	= 6450 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Talc (powder) 14807-96-6	= 55,000 mg/kg (Rat)	-	-
Crystalline Silica 14808-60-7	> 22,500 mg/kg (Rat)	-	-
Chorothalonil 1897-45-6	> 10000 mg/kg (Rat)	> 10 g/kg (Rabbit)	= 0.1 mg/L (Rat)4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informati	on available.			
Germ cell mutagenicity	No information available.				
Carcinogenicity	No information available.				
Chemical name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	A3	Group 2B	-	Х	
Talc (powder) 14807-96-6	-	Group 3	-	Х	
Crystalline Silica 14808-60-7	A2	Group 1	Known	Х	
Chorothalonil 1897-45-6	-	Group 2B	-	Х	
A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present					
Reproductive toxicity STOT - single exposure STOT - repeated exposur Target organ effects Aspiration hazard	No information available. No information available. No information available. Central Vascular System (CVS), Eyes, Lungs, Respiratory system, Skin. No information available.				

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

#### 30.97% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc (powder)	-	100: 96 h Brachydanio rerio g/L	-
14807-96-6		LC50 semi-static	
Chorothalonil	0.0068: 72 h Pseudokirchneriella	0.0221 - 0.032: 96 h Lepomis	0.0342 - 0.143: 48 h Daphnia
1897-45-6	subcapitata mg/L EC50 static 0.57:	macrochirus mg/L LC50	magna mg/L EC50 Static
	72 h Desmodesmus subspicatus	flow-through 0.045 - 0.057: 96 h	
	mg/L EC50	Lepomis macrochirus mg/L LC50	
		static 0.0076: 96 h Oncorhynchus	
		mykiss mg/L LC50 flow-through	
		0.012: 96 h Oncorhynchus mykiss	
		mg/L LC50 semi-static	

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

	Chemical name	Partition coefficient
--	---------------	-----------------------

Chorothalor 1897-45-6		2.9		
Other adverse effects	No information available			
	13. DISPOSAL C	ONSIDERATIONS		
Waste treatment methods				
Disposal of wastes	Disposal should be in accorregulations.	ordance with applicable regional, national and local laws and		
Contaminated packaging	Do not reuse container.			
14. TRANSPORT INFORMATION				
DOT	Not regulated			
TDG	Not regulated			
MEX	Not regulated			
ICAO (air)	Not regulated			
IATA	Not regulated			
IMDG	Not regulated			
<u>RID</u>	Not regulated			
ADR	Not regulated			
ADN	Not regulated			
15. REGULATORY INFORMATION				
International Inventories TSCA DSL/NDSL	Complies Complies *			

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Chorothalonil - 1897-45-6	0.1

# SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Crystalline Silica - 14808-60-7	Carcinogen	
Chorothalonil - 1897-45-6	Carcinogen	
Carbon Black - 1333-86-4	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	
Lead Chromate - 7758-97-6	Carcinogen Developmental Female Reproductive Male Reproductive	
Mercury - 7439-97-6	Developmental	
Nickel - 7440-02-0	Carcinogen	
Cadmium - 7440-43-9	Carcinogen Developmental Male Reproductive	
Cobalt - 7440-48-4	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive	
1,4-Dioxane - 123-91-1	Carcinogen	
Methyl Isobutyl Ketone - 108-10-1	Carcinogen Developmental	

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Calcium carbonate	Х	Х
1317-65-3		
Titanium dioxide	Х	Х
13463-67-7		
Talc (powder)	Х	Х
14807-96-6		
Crystalline Silica	Х	Х
14808-60-7		
Chorothalonil	Х	Х
1897-45-6		

Chemical name	Pennsylvania
Calcium carbonate 1317-65-3	X
Titanium dioxide 13463-67-7	X
Talc (powder)	X
14807-96-6	

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 1 * egend *= Chronic	Flammability 1 Health Hazard	Physical hazards 0	Personal protection X
Revision Date Revision Note No information available	21-Dec-202	22		

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet