SAFETY DATA SHEET



Version 2

1. IDENTIFICATION

Product identifier **Product Name**

Soft Brown Metallic S/D TGIC Polyester

Other means of identification **Product Code** ET23-43482 SKU(s) None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Combustible dust	Yes

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Causes serious eye damage May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer May form combustible dust concentrations in air



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

May form combustible dust concentrations in air

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Triglycidylisocyanurate (TGIC)	2451-62-9	3 - 7	*
Barium sulfate	7727-43-7	1 - 5	*
Aluminum Powder (coated)	7429-90-5	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Iron (III) oxide, as Fe	1309-37-1	1 - 5	*
Carbon Black	1333-86-4	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Dusts or fumes may form explosive mixtures in air.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures Personal precautions Ensure adequate ventilation, especially in confined areas. Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upUse personal protective equipment as required. Cover powder spill with plastic sheet or tarp
to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate
containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Dust at sufficient concentrations can form explosive mixtures in air. Avoid the creation or accumulation of dust when handling and keep away from all possible sources of ignition such as heat, sparks, and flame. Dust control and good housekeeping are required. Dust may carry a static charge. Make sure equipment and personnel are grounded to avoid static discharge.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Keep containers tightly closed in a dry, cool and well-ventilated place.

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triglycidylisocyanurate (TGIC) 2451-62-9	TWA: 0.05 mg/m ³	-	-
Barium sulfate	TWA: 5 mg/m ³ inhalable particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7727-43-7	matter, particulate matter containing	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
	no asbestos and <1% crystalline	(vacated) TWA: 10 mg/m ³ total dust	
	silica	(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
Aluminum Powder (coated)	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7429-90-5	particulate matter	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
		(vacated) TWA: 15 mg/m ³ total dust	TWA: 5 mg/m ³ Al
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction (vacated) TWA: 5 mg/m ³ Al	
		Aluminum	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m ³ total dust	
Iron (III) oxide, as Fe	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ fume	IDLH: 2500 mg/m ³ Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m ³ total dust	fume
		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ Fe dust and fume
		(vacated) TWA: 10 mg/m ³ fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction regulated under Rouge	
Carbon Black	TWA: 3 mg/m ³ inhalable particulate		IDLH: 1750 mg/m ³
1333-86-4	matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Appearance Color	Powder powder No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> No information available No information available No information available No information available No information available	<u>Remarks • Method</u>	
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available No information available 1.29 No information available No information available No information available No information available No information available No information available		
Dynamic viscosity Explosive properties Oxidizing properties <u>Other Information</u>	No information available No information available No information available		
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (grams/liter) EPA VOC (grams/liter)	No information available No information available 10.76 lbs/gal No information available 100.0% 0.0% 0 0.1 0 0.1 0		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure_		
Product Information	No data available	
Inhalation	No data available.	
Eye contact	No data available.	
Skin Contact	No data available.	
Ingestion	No data available.	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Triglycidylisocyanurate (TGIC)	= 302 mg/kg (Rat) = 188 mg/kg (-	> 0.65 mg/L (Rat) 4 h = 0.65 mg/L
2451-62-9	Rat)		(Rat) 4 h
Barium sulfate	= 307000 mg/kg (Rat)	-	-
7727-43-7			
Aluminum Powder (coated)	> 2000 mg/kg (Rat)	-	-
7429-90-5			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			
Iron (III) oxide, as Fe	> 10000 mg/kg (Rat)	-	-
1309-37-1			
Carbon Black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
1333-86-4			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	on available.		
Germ cell mutagenicity	No information	on available.		
Carcinogenicity	No information	on available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	-	Group 2B	-	Х
13463-67-7				
Iron (III) oxide, as Fe	-	Group 3	-	-
1309-37-1				
Carbon Black	A3	Group 2B	-	Х
1333-86-4				
ACGIH (American Confe	erence of Governmental Ind	dustrial Hygienists)		
A3 - Animal Carcinogen				
	ency for Research on Cance	er)		
Group 2B - Possibly Card				
Group 3 - Not classifiable				
	afety and Health Administra	ation of the US Department of	f Labor)	
X - Present				
Reproductive toxicity	No information	on available.		
STOT - single exposure	DT - single exposure No information available.			
STOT - repeated exposu	re No information	on available.		
Target organ effects		, Respiratory system, Skin.		
Aspiration hazard	No information			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

11.91% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
1333-86-4			ÉC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Aluminum Powder (coated)	Ignitable powder
7429-90-5	

14. TRANSPORT INFORMATION

DOT

Not regulated

Complies Complies * Does not comply * Does not comply * Complies * Complies * Complies * Complies *

15. REGULATOR	Y INFORMATION
----------------------	---------------

International Inventories
TSCA
DSL/NDSL
EINECS/ELINCS
ENCS
IECSC
KECL
PICCS
AICS

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Aluminum Powder (coated)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

California Proposition 65
Carcinogen
Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Triglycidylisocyanurate (TGIC) 2451-62-9	Х	-
Barium sulfate 7727-43-7	Х	Х
Aluminum Powder (coated) 7429-90-5	Х	X
Titanium dioxide 13463-67-7	Х	X
Iron (III) oxide, as Fe 1309-37-1	Х	X
Carbon Black 1333-86-4	Х	X
Aluminum phosphate 7784-30-7	Х	-

Chemical name	Pennsylvania
Barium sulfate 7727-43-7	X
Aluminum Powder (coated) 7429-90-5	X
Titanium dioxide 13463-67-7	X
Iron (III) oxide, as Fe 1309-37-1	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazards 1

Flammability 3 Instability 0

Physical and chemical properties - Personal protection X

HMISHealth hazards 1 *Flammability 3Physical hazards 0PersonaChronic Hazard Star Legend* = Chronic Health Hazard*Physical hazards 0*

25-Jan-2019

Revision Date Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet