

SAFETY DATA SHEET

Revision Date 05-Aug-2015

Version 1

1. IDENTIFICATION

Product identifier Product Name

Multi-Thane 330 Safety Orange (Pt A)

Other means of identification Product Code UN/ID no. SKU(s)

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

IG-4202

UN1263

None

Details of the supplier of the safety data sheet Manufacturer Address Diamond Vogel Paint 1020 Albany Place SE Orange City, IA 51041 Phone: 712-737-4993

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Fax: 712-737-4997

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Flammable liquids	Category 3

Emergency Overview		
Danger		
Hazard statements May cause genetic defects May cause cancer Flammable liquid and vapor		
Appearance No information available	Physical state liquid	Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

May be harmful if swallowed

Harmful to aquatic life with long lasting effects

• Harmful to aquatic life Unknown acute toxicity

13.34% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Butyl Acetate	123-86-4	10 - 30	*
Methyl Amyl Ketone	110-43-0	7 - 13	*
Crystalline Silica	14808-60-7	1 - 5	*
Aromatic 100	64742-95-6	1 - 5	*
Stoddard Solvent	8052-41-3	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Remove all sources of ignition. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).	

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butyl Acetate	STEL: 200 ppm	TWA: 150 ppm	IDLH: 1700 ppm
123-86-4	TWA: 150 ppm	TWA: 710 mg/m ³	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 710 mg/m ³
		(vacated) TWA: 710 mg/m ³	STEL: 200 ppm
		(vacated) STEL: 200 ppm	STEL: 950 mg/m ³
		(vacated) STEL: 950 mg/m ³	

Methyl Amyl Ketone 110-43-0	TWA: 50 ppm	TWA: 100 ppm TWA: 465 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 465 mg/m ³	IDLH: 800 ppm TWA: 100 ppm TWA: 465 mg/m³
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	 (vacated) TWA: 0.1 mg/m³ respirable dust : (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction 	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Stoddard Solvent 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 20000 mg/m³ Ceiling: 1800 mg/m³ 15 min TWA: 350 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	Values_No information availableNo information available>= 118 °C / 244 °F32 °C / 90 °FNo information availableNo information available	<u>Remarks • Method</u>	
Specific Gravity Water solubility	1.10 No information available		

Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other Information	No information available No information available No information available No information available No information available No information available No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	9.21 lbs/gal
Bulk density	No information available
Percent solids by weight	68.1%
Percent volatile by weight	31.9%
Percent solids by volume	58.8%
Actual VOC (Ibs/gal)	2.9
Actual VOC (grams/liter)	352.1
EPA VOC (grams/liter)	2.9
EPA VOC (grams/liter)	352.1
EPA VOC (grams/liter)	5

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butyl Acetate	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
123-86-4			

Methyl Amyl Ketone 110-43-0	= 1600 mg/kg (Rat)= 1670 mg/kg (Rat)	= 12.6 mL/kg (Rabbit)= 12600 µL/kg (Rabbit)	> 2000 ppm (Rat)4 h
Crystalline Silica 14808-60-7	= 500 mg/kg(Rat)	-	-
Aromatic 100 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat)4 h
Information on toxicologic	al effects_		
Symptoms	No information available.		
Delayed and immediate eff	ects as well as chronic effects fror	n short and long-term exposure	-
Sensitization	No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	No information available.		
Chemical Name	ACGIH IA	RC NTP	OSHA
Crystalline Silica 14808-60-7	A2 Gro	up 1 Known	X
A2 - Suspected Human Car	ence of Governmental Industrial Hygier <mark>rcinogen</mark> cy for Research on Cancer)	nists)	
Group 1 - Carcinogenic to F			
Group 3 - Not classifiable as			
NTP (National Toxicology			
Known - Known Carcinoger	1		
OSHA (Occupational Safe	ty and Health Administration of the US	Department of Labor)	
X - Present			
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure			
Target Organ Effects	Central nervous system, E	yes, lungs, Peripheral Nervous Sy	stem (PNS), Respiratory

Aspiration hazard

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

system, Skin.

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

68.21% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Butyl Acetate 123-86-4	674.7: 72 h Desmodesmus subspicatus mg/L EC50	100: 96 h Lepomis macrochirus mg/L LC50 static 17 - 19: 96 h Pimephales promelas mg/L LC50 flow-through 62: 96 h Leuciscus idus mg/L LC50 static	72.8: 24 h Daphnia magna mg/L EC50
Methyl Amyl Ketone 110-43-0	-	126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	-
Aromatic 100 64742-95-6	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	6.14: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
---------------	-----------------------

Butyl Acetate 123-86-4	1.81
Methyl Amyl Ketone 110-43-0	1.98

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste	treatment	methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001 U055 U239

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Butyl Acetate	Toxic
123-86-4	

14. TRANSPORT INFORMATION

DOT UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1263 Paint 3 III B1, B52, IB3, T2, TP1, TP29 UN1263, Paint, 3, III, 128
TDG	
UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1263 Paint 3 III UN1263, Paint, 3, III
MEX	
UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1263 Paint 3 III UN1263, Paint, 3, III
ICAO (air)	
UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN1263 Paint 3 III A3, A72 UN1263, Paint, 3, III

<u>IATA</u>

UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Special Provisions Description	UN1263 Paint 3 III 3L A3, A72 UN1263, Paint, 3, III
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group EmS-No. Special Provisions Description	UN1263 Paint 3 III F-E, S-E 163, 223, 955 UN1263, Paint, 3, III
RID UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Description	UN1263 Paint 3 III F1 UN1263, Paint, 3, III
ADR UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Tunnel restriction code Special Provisions Description Labels	UN1263 Paint 3 III F1 (D/E) 163, 640E, 650 UN1263, Paint, 3, III, (D/E) 3
ADN Proper shipping name Hazard Class Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ) Ventilation	Paint 3 III F1 163, 640E, 650 UN1263, Paint, 3, III 3 5 L VE01

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies *
EINECS/ELINCS	Complies *
ENCS	Does not comply *
IECSC	Complies *
KECL	Complies *
PICCS	Complies *
AICS	Complies *

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Butyl Acetate 5000 lb X 123-86-4	Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
		5000 lb	-	-	Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Butyl Acetate	5000 lb	-	RQ 5000 lb final RQ
123-86-4			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Crystalline Silica - 14808-60-7	Carcinogen
Ethyl Benzene - 100-41-4	Carcinogen
Cumene - 98-82-8	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Butyl Acetate 123-86-4	X	Х	Х
Methyl Amyl Ketone 110-43-0	Х	Х	Х
Crystalline Silica 14808-60-7	Х	Х	Х
Xylene 1330-20-7	Х	Х	Х
2,4 Pentane Dione 123-54-6	Х	Х	Х
Stoddard Solvent 8052-41-3	Х	Х	Х
Ethyl Benzene 100-41-4	Х	Х	Х
Cumene 98-82-8	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no reportable Hazardous Air Pollutants

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical Properties -
HMIS_	Health hazards 2 *	Flammability 3	Physical hazards 0	Personal protection X
Chronic Hazard Star Le	egend *=Chroni	c Health Hazard		

Revision Date Revision Note 05-Aug-2015

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet