SAFETY DATA SHEET

Revision Date 19-Dec-2022

Diamond

/oge

Version 4

1. IDENTIFICATION

Product identifier **Product Name**

Vers-Acryl 300 Acrylic DTM Primer Neutral Base

Other means of identification **Product Code** SKU(s)

MC-0554 None

Recommended use of the chemical and restrictions on use No information available. **Recommended Use** Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address** Diamond Vogel 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997

Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity		Category 1B	
	Emergency Overview		
Danger			
Hazard statements May cause cancer			
Appearance No information available	Physical state Liquid	Odor No information available	
Precautionary Statements - Prevention			

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

• Harmful to aquatic life Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Talc (powder)	14807-96-6	1 - 5	*
Texanol	25265-77-4	1 - 5	*
Propylene Glycol	57-55-6	1 - 5	*
Ammonium Hydroxide	1336-21-6	0.1 - 1	*
Sodium nitrite	7632-00-0	0.1 - 1	*
Heavy Paraffinic Distillates, Solvent Dewaxed	64742-65-0	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin Contact	Wash skin with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions See Section 12 for additional Ecological Information.				
Methods and material for containment and cleaning up				
Methods for containment Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

None known based on information supplied.

Control parameters

Exposure Guidelines

схро	sure Guidelines			
	Chemical name	ACGIH TLV	OSHA PEL	NIOSH
	Talc (powder)	TWA: 2 mg/m ³ particulate matter	(vacated) TWA: 2 mg/m ³ respirable	IDLH: 1000 mg/m ³
	14807-96-6	containing no asbestos and <1%	dust <1% Crystalline silica,	TWA: 2 mg/m ³ containing no
		crystalline silica, respirable	containing no Asbestos	Asbestos and <1% Quartz
		particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust
			more;use Quartz limit	

NIOSH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid No information available No information available	Odor Odor threshold	No information available No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Values 8.5 -9.5No information available >= 100 °C / 212 °F > 94 °C / > 201 °F> 94 °C / > 201 °FNo information availableNo information avai	<u>Remarks • Method</u>	
Other Information			
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal) EPA VOC (lb/gal solids)	No information available No information available 9.78 lbs/gal No information available 45.6% 2.9% 36.0% 0.3 33.7 0.7 85.4 0.8		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Talc (powder) 14807-96-6	= 55,000 mg/kg (Rat)	-	-
Texanol 25265-77-4	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat)6 h
Propylene Glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg(Rabbit)	-
Ammonium Hydroxide 1336-21-6	= 350 mg/kg(Rat)	-	-
Sodium nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat)4 h
Heavy Paraffinic Distillates, Solvent Dewaxed 64742-65-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³(Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity		on available. on available. on available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Talc (powder) 14807-96-6	-	Group 3	-	Х
Sodium nitrite 7632-00-0	-	Group 2A	-	Х
Heavy Paraffinic Distillates, Solvent Dewaxed	A2	Group 1	Known	X

64742-65-0				
ACGIH (American Conf	erence of Governmental Industrial Hygienists)			
A2 - Suspected Human (Carcinogen			
IARC (International Age	ency for Research on Cancer)			
Group 1 - Carcinogenic t	o Humans			
Group 2A - Probably Car	cinogenic to Humans			
Group 3 - Not classifiable	e as a human carcinogen			
NTP (National Toxicolo	gy Program)			
Known - Known Carcinog	jen -			
OSHA (Occupational Sa	OSHA (Occupational Safety and Health Administration of the US Department of Labor)			
X - Present	X - Present			
Reproductive toxicity	No information available.			
STOT - single exposure	STOT - single exposure No information available.			
STOT - repeated exposu	TOT - repeated exposure No information available.			
Target organ effects	Central Vascular System (CVS), Eyes, Respiratory system.			
Aspiration hazard	No information available.			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document $\ mg/kg$

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life

0.8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc (powder) 14807-96-6	-	100: 96 h Brachydanio rerio g/L LC50 semi-static	-
Texanol 25265-77-4	18.4: 72 h Pseudokirchneriella subcapitata mg/L EC50	30: 96 h Pimephales promelas mg/L LC50	-
Propylene Glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 Static
Ammonium Hydroxide 1336-21-6	-	8.2: 96 h Pimephales promelas mg/L LC50	0.66: 48 h Daphnia pulex mg/L EC50 0.66: 48 h water flea mg/L EC50
Sodium nitrite 7632-00-0	-	0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static 0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static	-
Heavy Paraffinic Distillates, Solvent Dewaxed 64742-65-0	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient	
Texanol	3.2	

25265-77-	4		
Propylene Glycol 57-55-6		-1.07	
Sodium nitrite		-3.7	
7632-00-0			
Other adverse effects	No information available		
	13. DISPOSAL CO	ONSIDERATIONS	
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	minated packaging Do not reuse container.		
	14. TRANSPOR	FINFORMATION	
DOT	Not regulated		
TDG	Not regulated		
MEX	Not regulated		
ICAO (air)	Not regulated		
IATA	Not regulated		
IMDG	Not regulated		
RID	Not regulated		
ADR	Not regulated		
ADN	Not regulated		
	15. REGULATOR	Y INFORMATION	

International Inventories	
TSCA	
DSL/NDSL	

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies *

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No

Reactive Hazard

No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydroxide 1336-21-6	1000 lb	-	-	Х
Sodium nitrite 7632-00-0	100 lb	-	-	Х

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
Sodium nitrite	100 lb	-	RQ 100 lb final RQ
7632-00-0			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Crystalline Silica - 14808-60-7	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	
Methyl Isobutyl Ketone - 108-10-1	Ketone - 108-10-1 Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Talc (powder)	X	Х
14807-96-6		
Propylene Glycol	X	-
57-55-6		
Ammonium Hydroxide	X	Х
1336-21-6		

Chemical name	Pennsylvania
Talc (powder) 14807-96-6	X
Propylene Glycol 57-55-6	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 1 * egend *= Chronic	Flammability 1 C Health Hazard	Physical hazards 0	Personal protection X
Revision Date Revision Note	19-Dec-20	22		

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet