Diamond **logel**

Revision date 30-Jan-2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1

1. Identification		
Product identifier		
Product Name	Artistry Acrylic S/G W/B	
Other means of identification		
Product Code(s)	MN1641-100	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended Use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
Manufacturer Address Diamond Vogel 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997		
Emergency telephone number		

Emergency Telephone

Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Carcinogenicity

Category 2

Hazards not otherwise classified (HNOC) Not applicable



Hazard statements

Suspected of causing cancer.

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

0.00019 % of the mixture consists of ingredient(s) of unknown acute oral toxicity. 19.19608 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity. 20.53188 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 20.53188 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor). 1.33599 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Titanium dioxide	13463-67-7	10 - 30	*
Diethylene Glycol Butyl Ether	112-34-5	1 - 5	*
Ammonium Hydroxide	1336-21-6	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.
Most important symptoms and effects, both acute and delayed	

Symptoms No information available.

Effects of Exposure

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	No information available.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m ³ nanoscale respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale
Diethylene Glycol Butyl Ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and o Physical state Appearance Color Odor Odor threshold	tiquid Liquid No information available No information available No information available No information available	
Property_	Values_	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)		None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rangeNo data available None known		None known
Flash point	> 93.9 °C / 201 °F	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	1.21	None known

MN1641-100 - Artistry Acrylic S/G W/B

No data available	None known
No data available	None known
No data available	None known
No data available	None known
	None known
No data available	None known
No data available	None known
No information available	
10.11 lbs/gal	
No information available	
45.64 %	
54.36 %	
34.0 %	
0.2	
18	
0.4	
49	
	No data available No data available No data available No data available No data available No information available No information available No information available No information available No information available 10.11 lbs/gal No information available 45.64 % 54.36 % 34.0 % 0.2 18 0.4

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	Specific test data for the substance or mixture is not available.	
Ingestion	Specific test data for the substance or mixture is not available.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	No information available.	
Acute toxicity		
Numerical measures of toxicity		

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	46,432.20 mg/kg
ATEmix (inhalation-dust/mist)	26.50 mg/l

0.00019 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

19.19608 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

20.53188 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

20.53188 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1.33599 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg(Rat)	-	= 5.09 mg/L (Rat)4 h
Diethylene Glycol Butyl Ether 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	X
13463-67-7				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Lungs, Respiratory system.
Aspiration hazard	No information available.
Other adverse effects	No information available.

Interactive effects

No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Diethylene Glycol Butyl Ether	100: 96 h	1300: 96 h Lepomis	-	100: 48 h Daphnia
112-34-5	Desmodesmus	macrochirus mg/L LC50		magna mg/L EC50
	subspicatus mg/L EC50	static		
Ammonium Hydroxide	-	8.2: 96 h Pimephales	-	0.66: 48 h water flea
1336-21-6		promelas mg/L LC50		mg/L EC50
				0.66: 48 h Daphnia
				pulex mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Diethylene Glycol Butyl Ether	1
112-34-5	

Other adverse effects

No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.	
Contaminated packaging	Do not reuse empty containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	

14. Transport information

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG_	Not regulated

15. Regulatory information

International Inventories

TSCA

Complies

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Complies
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Diethylene Glycol Butyl Ether - 112-34-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydroxide 1336-21-6	1000 lb	-	-	Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ammonium Hydroxide 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Ethylene Glycol - 107-21-1	Developmental	
Styrene - 100-42-5	Carcinogen	
Carbon Black - 1333-86-4	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	
1,4-Dioxane - 123-91-1	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive	
Acrylamide - 79-06-1	Carcinogen Developmental Male Reproductive	
Lead Chromate - 7758-97-6	Carcinogen Developmental Female Reproductive Male Reproductive	
Mercury - 7439-97-6	Developmental	
Nickel - 7440-02-0	Carcinogen	
Cadmium - 7440-43-9	Carcinogen Developmental Male Reproductive	
Cobalt - 7440-48-4		
Perfluorooctanoic acid - 335-67-1	Carcinogen Developmental	
Crystalline Silica - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Titanium dioxide 13463-67-7	Х	Х	Х
Diethylene Glycol Butyl Ether 112-34-5	Х	-	Х
Aluminum oxide 1344-28-1	Х	X	Х
Ammonium Hydroxide 1336-21-6	Х	X	Х
Ethylene Glycol 107-21-1	Х	X	Х
Sodium nitrite 7632-00-0	Х	X	Х
Styrene 100-42-5	Х	X	Х
Talc (powder) 14807-96-6	Х	X	Х
Carbon Black 1333-86-4	Х	X	Х
Iron (III) oxide, as Fe 1309-37-1	Х	X	Х
3-iodo-2-propynyl butyl carbamate 55406-53-6	Х	-	-
Formaldehyde 50-00-0	Х	X	X

Acetaldehyde 75-07-0	X	X	Х
Ethylene oxide 75-21-8	X	X	Х
Acrylamide 79-06-1	X	X	Х
1,4-Dioxane 123-91-1	X	X	Х
Lead Chromate 7758-97-6	X	X	Х
Mercury 7439-97-6	X	X	Х
Nickel 7440-02-0	X	X	Х
Arsenic 7440-38-2	X	X	Х
Cadmium 7440-43-9	X	X	Х
Cobalt 7440-48-4	X	X	Х
Crystalline Silica 14808-60-7	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

LIST OF HAZARDOUS AIR POLLUTANTS SUBJECT TO THE PROVISIONS OF THE CLEAN AIR ACT, TITLE I SECTION 112 'National Emission Standards for Hazardous Air Pollutants' (present if listed in Section 3):

Chemical name	Weight % of HAPS in Product	Pounds HAPS / Gal Product
Diethylene Glycol Butyl Ether	1.34	0.14
112-34-5		

16. Other information

NFPA <u>HMIS</u> Chronic Hazard Sta	Health hazards 1 Health hazards 1* r Legend *= Chronic	Flammability 1 Flammability 1 Health Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X	
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA TWA (time-weighted average) STEL STEL STEL (Short Term Exposure Limit)					
Ceiling +	Maximum limit value Sensitizers	*	Skin designation	, , , , , , , , , , , , , , , , , , ,	
Agency for Toxic U.S. Environment European Food S EPA (Environment Acute Exposure C U.S. Environment Food Research Jo Hazardous Substa International Unife National Institute Australia National NIOSH (National National Library o National Library o		try (ATSDR) v Database secticide, Fungicide, and I uction Volume Chemicals base (IUCLID) NITE) n and Assessment Schem v and Health) I CIP)	Rodenticide Act		

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

No information available.

30-Jan-2024

Revision date Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet