

SAFETY DATA SHEET

Category 1A

Revision Date 14-May-2015

Version 1

1. IDENTIFICATION

Product identifier **Product Name**

SureFlo Acrylic Satin Enamel PW/B

Other means of identification Product Code SKU(s)

MS-1549 None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Diamond Vogel Paint 1020 Albany Place SE Orange City, IA 51041 Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Carcinogenicity

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

	Emergency Overview	
Danger		
Hazard statements May cause cancer		
Appearance No information available	Physical state liquid	Odor No information available
Precautionary Statements - Prevention		

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown acute toxicity

3.02% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Titanium dioxide	13463-67-7	10 - 30	*
Crystalline Silica	14808-60-7	0.1 - 1	*
*The event nerestance (concentration) of composition has been withheld as a trade accust			

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	Wash skin with soap and water.	
Inhalation	Remove to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			

n accordance with good industrial hygiene and safety practice.
compatibilities
ntainers tightly closed in a dry, cool and well-ventilated place.
own based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Exposure Guidennes			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m ³ total dust	
Crystalline Silica	TWA: 0.025 mg/m ³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable dust
		: (30)/(%SiO2 + 2) mg/m ³ TWA	
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Other InformationVacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962
(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.

Values

8.9±0.2

1.24

No information available

No information available No information available

No information available No information available

No information available

No information available

No information available

No information available

No information available

>= 26 °C / 79 °F > 94 °C / > 201 °F

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.				
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.				
9. PHYSICAL AND CHEMICAL PROPERTIES					
Information on basic physical and	chemical properties				
Physical state	liquid				
Appearance	No information available Odor No information availab				
Color	No information available Odor threshold No information available				

Property

pН Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive properties Oxidizing properties Other Information**

Softening point No information available Molecular weight No information available VOC Content (%) No information available 10.31 lbs/gal Density No information available **Bulk density** 47.0% Percent solids by weight Percent volatile by weight 1.4% Percent solids by volume 34.3% Actual VOC (lbs/gal) 0.1 Actual VOC (grams/liter) 17.1 EPA VOC (lbs/gal) 0.4 EPA VOC (grams/liter) 47.5 EPA VOC (lb/gal solids) 0.4

Odor threshold

Remarks • Method

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Crystalline Silica 14808-60-7	= 500 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic No informatic	on available.			
Chemical Name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	-	Group 2B	-	Х	
Crystalline Silica 14808-60-7	A2	Group 1	Known	Х	
ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present					
Reproductive toxicity	No information	on available.			

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure No information ava	
Target Organ Effects	lungs, Respiratory system.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg			
	12. ECOLOGICAL INFORMATION		
<u>Ecotoxicity</u>			
22% of the mixture consists of compor	nents(s) of unknown hazards to the aquatic environment		
Persistence and degradability No information available.			
Bioaccumulation No information available.			
Other adverse effects	No information available		
13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

Complies
Complies *
Does not comply *
Does not comply *
Complies *
Does not comply *
Does not comply *
Does not comply *

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Crystalline Silica - 14808-60-7	Carcinogen
Benzophenone - 119-61-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	Х	X	Х
Crystalline Silica 14808-60-7	Х	X	Х
Magnesium oxide 1309-48-4	Х	X	Х
Magnesium nitrate 10377-60-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no reportable Hazardous Air Pollutants

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Ν	F	Ρ	4	ł

HMIS

Health hazards 1

Health hazards 1*

Flammability 1 Flammability 1

Physical hazards 0

Instability 0

Physical and Chemical Properties -Personal protection X

Chronic Hazard Star Legend

Revision Date Revision Note No information available 14-May-2015

* = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet