# Diamond Vogel

Revision date 30-Jan-2024

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1

1. Identification		
Product identifier		
Product Name	Luminance 300 Dri-Mist Flat Brite White	
Other means of identification		
Product Code(s)	MV1519-500	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	No information available	
Restrictions on use	No information available	
Details of the supplier of the safety	data sheet	
Manufacturer Address Diamond Vogel 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997		
Emergency telephone number		
Emergency Telephone	Chemtrec 1-800-424-9300	

### 2. Hazard(s) identification

#### **Classification**

Carcinogenicity

Category 1A

Hazards not otherwise classified (HNOC) Not applicable



#### Hazard statements May cause cancer.

#### Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

#### Precautionary Statements - Storage

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

9E-05 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
44.27466 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
44.27466 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
44.27466 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
38.15997 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Other information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

#### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Calcium carbonate	1317-65-3	10 - 30	*
Calcined Kaolin	92704-41-1	10 - 30	*
Titanium dioxide	13463-67-7	3 - 7	*
Crystalline Silica	14808-60-7	0.1 - 1	*
Ammonium Hydroxide	1336-21-6	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

#### **Description of first aid measures**

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.

#### Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	May cause cancer.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.

#### 5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Largerne	one nerv. dee er water opray when righting me may be memolent.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	No information available.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	

#### 8. Exposure controls/personal protection

#### Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium carbonate 1317-65-3	TWA: 10 mg/m <sup>3</sup> inhalable particles	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable
	TWA: 3 mg/m <sup>3</sup> respirable particles	fraction	dust
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m <sup>3</sup> nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> finescale respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	IDLH: 5000 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine, including engineered nanoscale
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> TWA: 50 µg/m <sup>3</sup> excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA respirable fraction	dust

#### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

#### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	No information available
Odor	No information available
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)		None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	<b>je</b> No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	1.43	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	11.9 lbs/gal	
Bulk density	No information available	
Percent solids by weight	51.54 %	
Percent volatile by weight	48.46 %	
Percent solids by volume	30.62 %	
Actual VOC (lbs/gal)	0	
Actual VOC (grams/liter)	6	
EPA VOC (lbs/gal)	0.2	
EPA VOC (grams/liter)	19	

#### 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

#### 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

Inhalation

Specific test data for the substance or mixture is not available.

#### MV1519-500 - Luminance 300 Dri-Mist Flat Brite White

Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, c	hemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	
Numerical measures of toxicity	
The following values are calculated ATEmix (oral) ATEmix (inhalation-dust/mist)	based on chapter 3.1 of the GHS document 8,960.90 mg/kg 51.477 mg/l
44.27466 % of the mixture consists 44.27466 % of the mixture consists	ingredient(s) of unknown acute oral toxicity s of ingredient(s) of unknown acute dermal toxicity s of ingredient(s) of unknown acute inhalation toxicity (gas) s of ingredient(s) of unknown acute inhalation toxicity (vapor)

38.15997 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate 1317-65-3	= 6450 mg/kg (Rat)	-	-
Calcined Kaolin 92704-41-1	> 2000 mg/kg (Rat)	-	> 2.07 mg/L (Rat)4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Crystalline Silica 14808-60-7	> 22,500 mg/kg (Rat)	-	-
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	Х
13463-67-7				
Crystalline Silica 14808-60-7	A2	Group 1	Known	Х

Legend

#### ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Lungs.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

#### 12. Ecological information

#### Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcined Kaolin	100: 72 h	100: 96 h Oncorhynchus	-	1: 48 h Daphnia magna
92704-41-1	Desmodesmus	mykiss mg/L LC50		mg/L EC50
	subspicatus mg/L EC50	semi-static		
Ammonium Hydroxide	-	8.2: 96 h Pimephales	-	0.66: 48 h water flea
1336-21-6		promelas mg/L LC50		mg/L EC50
				0.66: 48 h Daphnia
				pulex mg/L EC50

Persistence and degradability No information available.

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13.	Disposal	considerations
-----	----------	----------------

#### **Disposal methods**

Waste from residues/unused	Dispose of waste in accordance with environmental legislation. Dis	spose of in accordance
products	with local regulations.	

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. Transport information

DOT

Not regulated

#### 15. Regulatory information

#### International Inventories

#### **TSCA**

Complies

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL EINECS/ELINCS ENCS IECSC	Complies Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**NZIOC** - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances

Ammonium Hydroxide	1000 lb	-	-	Х
1336-21-6				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ammonium Hydroxide 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

#### US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Crystalline Silica - 14808-60-7	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	
Lead Chromate - 7758-97-6	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	
Mercury - 7439-97-6	Developmental	
Nickel - 7440-02-0	Carcinogen	
Cadmium - 7440-43-9	Carcinogen	
	Developmental	
	Male Reproductive	
Cobalt - 7440-48-4	Carcinogen	
1,4-Dioxane - 123-91-1	Carcinogen	
Ethylene oxide - 75-21-8	75-21-8 Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Calcium carbonate 1317-65-3	X	X	Х
Titanium dioxide 13463-67-7	X	X	Х
Crystalline Silica 14808-60-7	X	X	Х
Aluminum oxide 1344-28-1	X	X	Х
Ammonium Hydroxide 1336-21-6	X	X	Х
Sodium nitrite 7632-00-0	X	X	Х
Magnesium oxide 1309-48-4	X	X	Х
Formaldehyde 50-00-0	X	Х	Х
Acetaldehyde 75-07-0	X	X	Х

#### MV1519-500 - Luminance 300 Dri-Mist Flat Brite White

Mercury 7439-97-6	X	Х	Х
Nickel 7440-02-0	X	X	Х
Arsenic 7440-38-2	X	X	Х
Cadmium 7440-43-9	X	X	Х
Cobalt 7440-48-4	X	Х	Х
Lead Chromate 7758-97-6	X	X	Х
Ethylene oxide 75-21-8	X	X	Х
1,4-Dioxane 123-91-1	X	X	Х

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

This product contains no Hazardous Air Pollutants individually at levels which would be listed in Section 3 of this SDS.

16. Other information					
NFPA <u>HMIS</u> Chronic Hazard Star Lege	Health hazards 1 Health hazards 1* nd *= Chronic	Flammability Flammability Health Hazard		Instability 0 Physical hazards 0	Special hazards - Personal protection X
LegendSection 8: ExTWATW.CeilingMax	eviations and acronyms posure controls/person A (time-weighted average kimum limit value sitizers	al protection	t <mark>y data sh</mark> TEL	<u>eet</u> STEL (Short Tern Skin designation	n Exposure Limit)
Agency for Toxic Subst U.S. Environmental Pro European Food Safety EPA (Environmental Pro Acute Exposure Guidel U.S. Environmental Pro U.S. Environmental Pro Food Research Journal Hazardous Substance I International Uniform C National Institute of Teo Australia National Indus NIOSH (National Institut National Library of Med National Library of Med National Toxicology Pro New Zealand's Chemic Organization for Econo	otection Agency) ine Level(s) (AEGL(s)) tection Agency Federal In tection Agency Federal In tection Agency High Prod Database hemical Information Datab shology and Evaluation (I strial Chemicals Notification te for Occupational Safety icine's ChemID Plus (NLM icine's PubMed database ogram (NTP) al Classification and Inforr mic Co-operation and Dev mic Co-operation and Dev mic Co-operation and Dev	try (ATSDR) v Database secticide, Fungicio uction Volume Ch base (IUCLID) NITE) n and Assessmen v and Health) 1 CIP) (NLM PUBMED) nation Database ( velopment Environ velopment High Pro-	de, and Ro emicals It Scheme CCID) ment, Hea oduction V	(NICNAS) Ith, and Safety Publication olume Chemicals Program	
Revision date	30-Jan-20	)24 ation available			

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet