SAFETY DATA SHEET



Version 5

1. IDENTIFICATION

Product identifier **Product Name**

F9A Tractor Green TGIC Polyester

Other means of identification **Product Code** PLX2338-04 SKU(s) None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Combustible dust	Yes

Emergency Overview

Danger

Hazard statements Harmful if swallowed Harmful if inhaled Causes serious eye damage May cause an allergic skin reaction May cause genetic defects May form combustible dust concentrations in air



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

• Harmful to aquatic life with long lasting effects

· May form combustible dust concentrations in air

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Barium sulfate	7727-43-7	5 - 10	*
Chrome antimony titanate (Brown 24)	68186-90-3	5 - 10	*
Triglycidylisocyanurate (TGIC)	2451-62-9	3 - 7	*
Pigment Green 36	14302-13-7	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

	Consult a physician.		
Skin Contact	Wash skin with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Dusts or fumes may form explosive mixtures in air.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Fine d

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Dust at sufficient concentrations can form explosive mixtures in air. Avoid the creation or accumulation of dust when handling and keep away from all possible sources of ignition such as heat, sparks, and flame. Dust control and good housekeeping are required. Dust may carry a static charge. Make sure equipment and personnel are grounded to avoid static discharge.

No information available No information available

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate	TWA: 5 mg/m ³ inhalable particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7727-43-7	matter, particulate matter containing		TWA: 5 mg/m ³ respirable dust
	no asbestos and <1% crystalline	(vacated) TWA: 10 mg/m ³ total dust	
	silica	(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
Chrome antimony titanate (Brown	TWA: 0.5 mg/m ³ Sb TWA: 0.5	TWA: 0.5 mg/m ³ Sb TWA: 0.5	IDLH: 50 mg/m ³ Sb IDLH: 25 mg/m ³
24)	mg/m³ Cr	mg/m³ Cr	Cr(III)
68186-90-3		(vacated) TWA: 0.5 mg/m ³ Sb	TWA: 0.5 mg/m ³ Sb TWA: 0.5
		(vacated) TWA: 0.5 mg/m ³ Cr	mg/m³ Cr
Triglycidylisocyanurate (TGIC)	TWA: 0.05 mg/m ³	-	-
2451-62-9			
Pigment Green 36	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist
14302-13-7			TWA: 1 mg/m ³ Cu dust and mist

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Constal Uvgiana Considerations	Handle in accordance with good industrial bygions and safety practice

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor

Odor threshold

Remarks • Method

Information on basic physical and chemical properties

Physical state	Powder
Appearance	powder
Color	No information available
<u>Property</u>	<u>Values</u>
pH	No information available
Melting point / freezing point	No information available
Boiling point / boiling range	No information available
Flash point	Not applicable

Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	1.43
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
Liquid Density	11.95 lbs/gal
Bulk density	No information available
Percent solids by weight	100.0%
Percent volatile by weight	0.0%
Percent solids by volume	100.0%
Actual VOC (lbs/gal)	0
Actual VOC (grams/liter)	0.1
EPA VOC (lbs/gal)	0
EPA VOC (grams/liter)	0.1
EPA VOC (lb/gal solids)	0
-	

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical name Oral LD50		Dermal LD50	Inhalation LC50
Barium sulfate 7727-43-7	= 307000 mg/kg(Rat)	-	-
hrome antimony titanate (Brown 4) 8186-90-3 > 10000 mg/kg (Rat)		-	-
Triglycidylisocyanurate (TGIC) 2451-62-9	= 302 mg/kg (Rat)= 188 mg/kg (Rat)	-	> 0.65 mg/L (Rat)4 h = 0.65 mg/L (Rat)4 h
Pigment Green 36 14302-13-7	>= 5000 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic No informatic	n available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Chrome antimony titanate (Brown 24) 68186-90-3	-	Group 3	-	-
IARC (International Age Group 3 - Not classifiable Reproductive toxicity	ency for Research on Cance as a human carcinogen No informatic			
STOT - single exposure STOT - repeated exposur Chronic toxicity Target organ effects Aspiration hazard	exposureNo information available.Ind exposureNo information available.Ind exposureMay cause adverse liver effects.Ind effectsCentral Vascular System (CVS), Eyes, kidney, liver, Respiratory system, Skin.			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document $\,$ mg/kg $\,$ mg/l $\,$

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

11.69% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Chrome antimony titanate (Brown	-	10000: 96 h Leuciscus idus mg/L	-
24)		LC50 static	
68186-90-3			

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Chrome antimony titanate (Brown 24)	Toxic
68186-90-3	Corrosive
	Ignitable
Pigment Green 36	Toxic
14302-13-7	

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION		
International Inventories		
TSCA	Complies	
DSL/NDSL	Complies *	
EINECS/ELINCS	Does not comply *	
ENCS	Complies *	
IECSC	Complies *	
KECL	Complies *	
PICCS	Complies *	
AICS	Complies *	

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Physical and chemical

Personal protection X

properties -

Chemical name	SARA 313 - Threshold Values %
Chrome antimony titanate (Brown 24)	1.0
Pigment Green 36	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chrome antimony titanate (Brown 24) 68186-90-3	-	Х	-	-
Pigment Green 36 14302-13-7	-	Х	-	-

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Barium sulfate 7727-43-7	Х	Х
Chrome antimony titanate (Brown 24) 68186-90-3	Х	-
Triglycidylisocyanurate (TGIC) 2451-62-9	Х	-
Pigment Green 36 14302-13-7	Х	-

Chemical name	Pennsylvania
Barium sulfate	X
7727-43-7	
Chrome antimony titanate (Brown 24)	X
68186-90-3	
Pigment Green 36	X
14302-13-7	

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 3	Instability 0
<u>HMIS</u>	Health hazards 1 *	Flammability 3	Physical hazards 0
Chronic Hazard Star Le	egend *= Chronic	Health Hazard	

25-Jan-2019

Revision Date Revision Note No information available Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet