SAFETY DATA SHEET



Version 2

1. IDENTIFICATION

Product identifier **Product Name**

Pearl White TGIC Polyester

Other means of identification **Product Code** PLX4595-01 SKU(s) None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number **Emergency Telephone**

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation | Category 1 |
|-----------------------------------|-------------|
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 2 |
| Combustible dust | Yes |

Emergency Overview

Danger

Hazard statements

Causes serious eye damage May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer May form combustible dust concentrations in air



| Appearance powder | Physical state Powder | Odor No information available |
|-------------------|--------------------------|-------------------------------|
| Appearance powder | i ilysical state i owder | |

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

I

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

May be harmful if swallowed

May form combustible dust concentrations in air

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% | Trade Secret |
|--------------------------------|------------|----------|--------------|
| Titanium dioxide | 13463-67-7 | 10 - 30 | * |
| Triglycidylisocyanurate (TGIC) | 2451-62-9 | 1 - 5 | * |
| Silica, Amorphous fumed | 7631-86-9 | 1 - 5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. | |
|--|--|--|
| Skin Contact | Wash skin with soap and water. | |
| Inhalation | Remove to fresh air. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. | |
| Most important symptoms and effects, both acute and delayed | | |
| Symptoms | No information available. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. | |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Dusts or fumes may form explosive mixtures in air.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | | |
|---|---|--|
| Personal precautions | Ensure adequate ventilation, especially in confined areas. | |
| Environmental precautions | | |
| Environmental precautions | See Section 12 for additional Ecological Information. | |
| Methods and material for containment and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. | |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Dust at sufficient concentrations can form explosive mixtures in air. Avoid the creation or accumulation of dust when handling and keep away from all possible sources of ignition such as heat, sparks, and flame. Dust control and good housekeeping are required. Dust may carry a static charge. Make sure equipment and personnel are grounded to avoid static discharge.

 Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|-----------------------------|--|------------------------------|
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | | (vacated) TWA: 10 mg/m ³ total dust | |
| Triglycidylisocyanurate (TGIC) | TWA: 0.05 mg/m ³ | - | - |

| | 9. PHYSICAL AND CH | EMICAL PROPERTIES | |
|--------------------------------------|---|--|--|
| General Hygiene Considerations | Handle in accordance with | n good industrial hygiene and safe | ety practice. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. | | |
| Skin and body protection | No special technical protective measures are necessary. | | |
| Eye/face protection | No special technical protective measures are necessary. | | |
| Individual protection measures, se | uch as personal protective | <u>equipment</u> | |
| Engineering Controls | Showers Eyewash stations Ventilation systems. | | |
| Appropriate engineering controls | | | |
| Other Information | Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). | | |
| NIOSH IDLH Immediately Dangerou | is to Life or Health | | |
| | | TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA | |
| Silica, Amorphous fumed 7631-86-9 | - | (vacated) TWA: 6 mg/m³ <1% Crystalline silica | IDLH: 3000 mg/m ³ TWA: 6 mg/m ³ |
| 2451-62-9 | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Powder powder No information available | Odor Odor threshold | No information available No information available |
|--|--|-------------------------|--|
| Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure | <u>Values</u> No information available No information available No information available Not applicable No information available No information available No information available No information available No information available | <u>Remarks • Method</u> | |
| Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties | No information available 1.61 No information available No information available | | |
| Oxidizing properties Other Information Softening point | No information available No information available | | |

| Molecular weight Liquid Density | No information available 13.45 lbs/gal |
|------------------------------------|--|
| Bulk density | No information available |
| Percent solids by weight | 100.0% |
| Percent volatile by weight | 0.0% |
| Percent solids by volume | 100.0% |
| Actual VOC (lbs/gal) | 0 |
| Actual VOC (grams/liter) | 0.1 |
| EPA VOC (lbs/gal) | 0 |
| EPA VOC (grams/liter) | 0.1 |
| EPA VOC (lb/gal solids) | 0 |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--------------------|
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | No data available. |
| Ingestion | No data available. |

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------------------|-----------------------|-----------------------------------|
| Titanium dioxide | > 10000 mg/kg (Rat) | - | - |
| 13463-67-7 | | | |
| Triglycidylisocyanurate (TGIC) | = 302 mg/kg (Rat) = 188 mg/kg (| - | > 0.65 mg/L (Rat) 4 h = 0.65 mg/L |
| 2451-62-9 | Rat) | | (Rat) 4 h |
| Silica, Amorphous fumed | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 2.2 mg/L (Rat) 1 h |
| 7631-86-9 | | · · | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization | No information available. |
|------------------------|---------------------------|
| Germ cell mutagenicity | No information available. |

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|---|--------------------------------|--------|------|
| Titanium dioxide 13463-67-7 | - | Group 2B | - | Х |
| Silica, Amorphous fumed 7631-86-9 | - | Group 3 | - | - |
| | | | | |
| | 0 | tion of the US Department of | Labor) | |
| OSHA (Occupational Sa X - Present | fety and Health Administra | , | Labor) | |
| OSHA (Occupational Sa X - Present Reproductive toxicity | fety and Health Administra No informatio | on available. | Labor) | |
| OSHA (Occupational Sa X - Present Reproductive toxicity STOT - single exposure | fety and Health Administra No informatio No informatio | on available. on available. | Labor) | |
| OSHA (Occupational Sa X - Present Reproductive toxicity | fety and Health Administra No informatio No informatio | on available. on available. | Labor) | |
| OSHA (Occupational Sa X - Present Reproductive toxicity STOT - single exposure | fety and Health Administra No informatio No informatio e No informatio | on available. on available. | Labor) | |

The following values are calculated based on chapter 3.1 of the GHS document $\,$ mg/kg $\,$ mg/l $\,$

12. ECOLOGICAL INFORMATION

Ecotoxicity

31.7% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------|-------------------------------|-----------------------------------|-------------------------------|
| Silica, Amorphous fumed | 440: 72 h Pseudokirchneriella | 5000: 96 h Brachydanio rerio mg/L | 7600: 48 h Ceriodaphnia dubia |
| 7631-86-9 | subcapitata mg/L EC50 | LC50 static | mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|-------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|--|
| TSCA | |
| DSL/NDSL | |
| EINECS/ELINCS | |
| ENCS | |
| IECSC | |
| KECL | |
| PICCS | |
| AICS | |

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies Complies * Does not comply * Complies * Complies * Complies * Complies * Complies *

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| SARA 311/312 Hazard Categories | |
|-----------------------------------|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical name | California Proposition 65 |
|-------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7 | Carcinogen |
| Carbon Black - 1333-86-4 | Carcinogen |
| | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts |
|--------------------------------|------------|---------------|
| Titanium dioxide | X | Х |
| 13463-67-7 | | |
| Triglycidylisocyanurate (TGIC) | X | - |
| 2451-62-9 | | |
| Silica, Amorphous fumed | - | Х |
| 7631-86-9 | | |

| Chemical name | Pennsylvania |
|--------------------------------------|--------------|
| Titanium dioxide 13463-67-7 | X |
| Silica, Amorphous fumed 7631-86-9 | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA | Health hazards 1 | Flammability 3 | Instability 0 | Physical and chemical properties - |
|---------------------------------------|--|---------------------------------|--------------------|---------------------------------------|
| <u>HMIS</u> Chronic Hazard Star Le | Health hazards 1 * egend *= Chronic | Flammability 3 Health Hazard | Physical hazards 0 | Personal protection X |
| Revision Date | 23-Jan-201 | 9 | | |

Revision Date Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet