# SAFETY DATA SHEET



Version 2

# **1. IDENTIFICATION**

Product identifier **Product Name** 

Umbra Grey TGIC Polyester

Other means of identification **Product Code** PLX5058-04 SKU(s) None

Recommended use of the chemical and restrictions on use **Recommended Use** No information available. Uses advised against No information available

Details of the supplier of the safety data sheet **Manufacturer Address Diamond Vogel** 1020 Albany Place SE Orange City, IA 51041 Phone: (712) 737-4993 Fax: (712) 737-4997 Emergency telephone number **Emergency Telephone** 

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Combustible dust	Yes

#### **Emergency Overview**

# Danger

### Hazard statements

Harmful if swallowed Causes serious eye damage May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer May form combustible dust concentrations in air



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

May form combustible dust concentrations in air
Unknown acute toxicity
0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Triglycidylisocyanurate (TGIC)	2451-62-9	3 - 7	*
Barium sulfate	7727-43-7	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Carbon Black	1333-86-4	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash skin with soap and water.

Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effect	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Dusts or fumes may form explosive mixtures in air.

#### Explosion data Sensitivity to Mechanical Impact None.

**Sensitivity to Static Discharge** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**5. FIRE-FIGHTING MEASURES** 

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	<b>ons</b> Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.		

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Dust at sufficient concentrations can form explosive mixtures in air. Avoid the creation or accumulation of dust when handling and keep away from all possible sources of ignition such as heat, sparks, and flame. Dust control and good housekeeping are required. Dust may carry a static charge. Make sure equipment and personnel are grounded to avoid static discharge.

#### Conditions for safe storage, including any incompatibilities

# **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triglycidylisocyanurate (TGIC) 2451-62-9	TWA: 0.05 mg/m <sup>3</sup>	-	-
Barium sulfate 7727-43-7	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica		TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
Carbon Black 1333-86-4	TWA: 3 mg/m <sup>3</sup> inhalable particulate matter	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

```
Other Information
```

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	uch as personal protective equipment
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

provided in accordance with current local regulations.

#### Information on basic physical and chemical properties

Physical state	Powder
Appearance	powder
Color	No information available
<u>Property</u>	<u>Values</u>
pH	No information available
Melting point / freezing point	No information available
Boiling point / boiling range	No information available
Flash point	Not applicable
Evaporation rate	No information available
Flammability (solid, gas)	No information available

Odor Odor threshold

required for high airborne contaminant concentrations. Respiratory protection must be

No information available No information available

#### Remarks • Method

Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	1.37
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
	No information available
Other Information Softening point Molecular weight	No information available No information available
Softening point	No information available 11.45 lbs/gal
Softening point Molecular weight	No information available
Softening point Molecular weight Liquid Density	No information available 11.45 lbs/gal
Softening point Molecular weight Liquid Density Bulk density	No information available 11.45 lbs/gal No information available
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight	No information available 11.45 lbs/gal No information available 100.0%
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (Ibs/gal)	No information available 11.45 lbs/gal No information available 100.0% 0.0% 100.0% 0
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter)	No information available 11.45 lbs/gal No information available 100.0% 0.0% 100.0% 0 0
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal)	No information available 11.45 lbs/gal No information available 100.0% 0.0% 100.0% 0 0.1 0
Softening point Molecular weight Liquid Density Bulk density Percent solids by weight Percent volatile by weight Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter)	No information available 11.45 lbs/gal No information available 100.0% 0.0% 100.0% 0 0

# **10. STABILITY AND REACTIVITY**

Reactivity\_

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.

#### Skin Contact No data available.

Ingestion No data available.

hemical name Oral LD50		Dermal LD50	Inhalation LC50	
Triglycidylisocyanurate (TGIC)	= 302 mg/kg (Rat) = 188 mg/kg (	-	> 0.65 mg/L (Rat) 4 h = 0.65 mg/L	
2451-62-9	Rat )		( Rat ) 4 h	
Barium sulfate 7727-43-7	= 307000 mg/kg(Rat)	-	-	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-	
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-	

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available. No information available.

Germ cell mutagenicity Carcinogenicity

No information available.

<u></u>					
Chemical name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide	-	Group 2B	-	Х	
13463-67-7					
Carbon Black	A3	Group 2B	-	Х	
1333-86-4					
ACGIH (American Conference of Governmental Industrial Hygienists)					

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

STOT - single exposure STOT - repeated exposure

Target organ effects

No information available. Eyes, Lungs, Respiratory system. No information available.

No information available. No information available.

Aspiration hazard N

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

13.25% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
1333-86-4			EC50

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies *
EINECS/ELINCS	Does not comply *
ENCS	Complies *
IECSC	Complies *
KECL	Complies *
PICCS	Complies *
AICS	Complies *

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Carbon Black - 1333-86-4	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts
Triglycidylisocyanurate (TGIC)	Х	-
2451-62-9		
Barium sulfate	Х	Х
7727-43-7		
Titanium dioxide	Х	Х
13463-67-7		
Carbon Black	Х	Х
1333-86-4		
Aluminum phosphate	Х	-
7784-30-7		

Chemical name	Pennsylvania
Barium sulfate	Х
7727-43-7	
Titanium dioxide	Х
13463-67-7	

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 3	Instability 0	Physical and chemical properties -
<u>HMIS</u> Chronic Hazard Star Le	Health hazards 1 * egend *= Chronic	Flammability 3 c Health Hazard	Physical hazards 0	Personal protection X

25-Jan-2019

# Revision Note

**Revision Date** 

No information available **Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

#### End of Safety Data Sheet